



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/671,809	09/26/2003	Nurul Amin	169.12-0599	6881
164 7590 01/09/2007 KINNEY & LANGE, P.A. THE KINNEY & LANGE BUILDING 312 SOUTH THIRD STREET MINNEAPOLIS, MN 55415-1002			EXAMINER RENNER, CRAIG A	
			ART UNIT 2627	PAPER NUMBER
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		01/09/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/671,809

Applicant(s)

AMIN ET AL.

Examiner

Craig A. Renner

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 November 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 and 21-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 15-18 is/are allowed.
- 6) ☒ Claim(s) 1-14 and 21-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 20 November 2006 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-8 and 21-23 are rejected under 35 U.S.C. 102(b) as being anticipated by Koike (US 6,177,207).

With respect to claims 1-8, Koike teaches a transducing head comprising a main pole (11); and at least one magnetic element (7/8) spaced from the main pole, wherein the magnetic element provides a potential return path for a magnetic field produced by the main pole, and has a first edge (on layer 8) closest to the main pole (as shown in

Art Unit: 2627

FIG. 1, for instance), a second edge (on layer 7) furthest from the main pole (as shown in FIG. 1, for instance), wherein permeability of the magnetic element increases from the first edge to the second edge (lines 55-65 in column 12, for instance, i.e., the permeability of layer 7 is increased with respect to layer 8) [as per claim 1]; wherein the magnetic element is formed of a plurality of layers (7 and 8), each succeeding layer having greater permeability (lines 55-65 in column 12, for instance, i.e., the permeability of layer 7 is increased with respect to layer 8) [as per claim 2]; wherein a ratio of permeability between adjacent layers is approximately constant (lines 55-65 in column 12, for instance, i.e., since there are only two layers, the permeability between adjacent layers would be approximately constant especially in as broad as the term "approximately" may be construed) [as per claim 3]; wherein the magnetic element is a return pole (as shown in FIG. 1, for instance) [as per claim 4]; wherein the return pole has a shape selected from the group consisting of rectangular, round, and elliptical (as shown in FIG. 1, for instance, i.e., rectangular) [as per claim 5]; wherein the magnetic element is a reader shield (as shown in FIG. 1, for instance) [as per claim 6]; wherein the main pole is formed of magnetic material (line 66 in column 12 thru line 3 in column 13, for instance) [as per claim 7]; and wherein the magnetic element is formed of magnetic material (lines 55-57 in column 12, for instance) [as per claim 8]. With respect to the intended use limitation(s) appearing in lines 1-3 of claim 1, for instance, note that a recitation with respect to the manner in which a claimed apparatus (i.e., a "transducing head") is intended to be employed (i.e., "to write data to a magnetic medium" and "for perpendicular writing of data to the magnetic medium", for instance) does not

Art Unit: 2627

differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations, *Ex parte Masham*, 2 USPQ2d 1647 (PTO BPAI 1987).

With respect to claims 21-23, Koike teaches a perpendicular write head comprising a main magnetic pole (11); a second magnetic element (7/8), separated from the main magnetic pole (as shown in FIG. 1, for instance); and means (lines 55-65 in column 12, for instance, i.e., the permeability of layer 7 is increased with respect to layer 8, for instance, in at least an equivalent structural sense) for reducing a peak magnetic field at a trailing edge of the second magnetic element in order to reduce side writing at the second magnetic element [as per claim 21]; wherein the means for reducing a peak magnetic field comprises regions of different permeability within the second magnetic element (lines 55-65 in column 12, for instance, i.e., the permeability of layer 7 is increased with respect to layer 8), with a region (8) having a highest permeability at an edge (on layer 8) furthest from the trailing edge (as shown in FIG. 2, for instance, i.e., layer 8 is furthest from the trailing edge) [as per claim 22]; and wherein a ratio of permeability between adjacent regions is approximately constant (lines 55-65 in column 12, for instance, i.e., since there are only two layers, the permeability between adjacent layers would be approximately constant especially in as broad as the term "approximately" may be construed) [as per claim 23]. With respect to the intended use limitation(s) appearing in lines 2-3 of claim 21, for instance, note that a recitation with respect to the manner in which a claimed apparatus (i.e., a "perpendicular write head") is intended to be employed (i.e., "for perpendicular writing of data to a magnetic

Art Unit: 2627

medium", for instance) does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See *Ex parte Masham*, supra.

4. Claims 9-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Hoshi et al. (US 6,025,978).

Hoshi teaches a transducing head comprising a main pole (12); and at least one magnetic element (10) spaced from the main pole (as shown in Figures 5, 8 and 9, for instance), wherein the magnetic element provides a potential return path for a magnetic field produced by the main pole and is formed of at least three layers (as shown in Figure 8, for instance), each succeeding layer having greater permeability (as shown in Figure 8, for instance, i.e., $m > 1$), with a highest permeability at an edge (m) of the magnetic element furthest from the main pole (as shown in Figure 8, for instance) [as per claim 9]; wherein a ratio of permeability between adjacent layers is approximately constant (as shown in Figure 8, for instance, i.e., especially in as broad as the term "approximately" may be construed) [as per claim 10]; wherein the magnetic element is a return pole (as shown in Figure 8, for instance) [as per claim 11]; wherein the magnetic element is a reader shield (as shown in Figure 8, for instance) [as per claim 12]; wherein the main pole is formed of magnetic material (lines 19-20 in column 6, for instance) [as per claim 13]; and wherein the magnetic element is formed of magnetic material (lines 18-20 in column 6, for instance) [as per claim 14]. With respect to the intended use limitation(s) appearing in lines 1-3 of claim 9, for instance, note that a recitation with respect to the manner in which a claimed apparatus (i.e., a "transducing

Art Unit: 2627

head") is intended to be employed (i.e., "to write data to a magnetic medium" and "for perpendicular writing of data to the magnetic medium", for instance) does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See *Ex parte Masham*, supra.

Allowable Subject Matter

5. Claims 15-18 are allowable over the prior art of record.

Response to Arguments

6. Applicant's arguments filed 30 October 2006 have been fully considered but they are not persuasive.

With respect to independent claim 1, the applicant argues that Koike does not teach "a main pole for perpendicular writing of data to a magnetic medium." This argument, however, is not found to be persuasive as a recitation with respect to the manner in which a claimed apparatus (i.e., a "main pole", for instance) is intended to be employed (i.e., "for perpendicular writing of data to the magnetic medium", for instance) does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See *Ex parte Masham*, supra. The main pole of Koike is no different structurally from that claimed by applicant in independent claim 1.

With respect to independent claim 21, the applicant argues that Koike does not teach "a main magnetic pole for perpendicular writing of data to a magnetic medium." This argument, however, is not found to be persuasive as a recitation with respect to the

Art Unit: 2627

manner in which a claimed apparatus (i.e., a "main magnetic pole", for instance) is intended to be employed (i.e., "for perpendicular writing of data to a magnetic medium", for instance) does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See *Ex parte Masham*, supra. The main magnetic pole of Koike is no different structurally from that claimed by applicant in independent claim 21.

With respect to independent claim 9, the applicant argues that Hoshi does not teach "a main pole for perpendicular writing of data to a magnetic medium." This argument, however, is not found to be persuasive as a recitation with respect to the manner in which a claimed apparatus (i.e., a "main pole", for instance) is intended to be employed (i.e., "for perpendicular writing of data to the magnetic medium", for instance) does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See *Ex parte Masham*, supra. The main pole of Hoshi is no different structurally from that claimed by applicant in independent claim 9.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig A. Renner whose telephone number is (571) 272-7580. The examiner can normally be reached on Monday-Tuesday & Thursday-Friday 9:00 AM - 7:30 PM.

Art Unit: 2627

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa T. Nguyen can be reached on (571) 272-7579. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Craig A. Renner
Primary Examiner
Art Unit 2627

CAR